




# **Hypertext**

COMP3227 Web Infrastructure


Dr Heather Packer - hp3@ecs.soton.ac.uk







Let me introduce the word "hypertext"\*\*\*\* to mean a body of written or pictorial material interconnected in such a complex way that it could not conveniently be presented or represented on paper. It may contain summaries, or maps of its contents and their interrelations; it may contain annotations, additions and footnotes from scholars who have examined it. Let me suggest that such an object and system, properly designed and administered, could have great potential for education, increasing the student's range of choices, his sense of freedom, his motivation, and his intellectual grasp\*\*\*\*\*. Such a system could grow indefinitely, gradually including more and more of the world's written knowledge.






[hypertext is] a combination of natural language text with the computer's capacity for branching, or dynamic display






By "hypertext" I mean non-sequential writing










The reaction of the hypertext research community to the World Wide Web is like finding out that you have a fully grown child.

And it's a delinquent.

"An application which uses associative relationships among information contained within multiple media data for the purpose of facilitating access to, and manipulation of, the information encapsulated by the data."





- Non-linear writing
  - Interlinked texts
  - Multiple pathways, multiple reading sequences
- Annotation and commentary
- Association of ideas
- Writing and reading not separated
- Interactive
- Not limited to text hypermedia



# **Hypertext Terminology**



Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla consequat tortor eget turpis scelerisque sit amet facilisis metus iaculis. Duis aliquam lacinia dictum.

Morbi commodo bibendum ligula, et lobortis diam varius non. Morbi ac elit leo, semper nunc.



A node is a 'chunk' of information that corresponds to a natural 'semantic unit'


- e.g. screen, page, frame, lexia...
- The act of chunking information is part of authoring process





A link is an association between nodes


May be navigable






# An anchor is the representation of a link on a node

- e.g. buttons, bolded text, "hotspots", images ...
- the whole node might be an anchor but should be able to designate a subregion as a source or destination of a link





An endpoint is a component of a link that references an anchor on a node






### Links on the Web

- Links are part of the source node
  - <a href="">
  - Embedded links (c.f. first class links)
- Links can only be followed in the forward direction
- Links can only connect a pair of nodes
- Link anchors must be specified explicitly
- Links (usually) contain no additional information




### **Embedded Links**





### Embedded Links in HTML





### Embedded vs. First class links

#### Links are embedded in web pages


- To create a link from a web page, the web page must be edited
- Only the owner of a web page may create/edit links within it

#### Separating links from nodes (first class links) allows richer linking:

- Multiple different link overlays (linkbases)
- Personalisation, task-orientation, etc



### First Class Links





### **Bidirectional Links**

On the Web, not easy to see what links to a page


- Links are embedded, so can only be followed from the source document to the destination, not the other way
- Can use a global index such as Google, but this raises issues of scalability

#### With first class links:

- As easy to traverse links backwards as forwards
- Endpoints may be annotated as source/destination/bidirectional
- How do we find links that can be applied to a given document?



### **Bidirectional Links**





# N-ary Links

Web links connect only two documents together


Only one href attribute allowed on an <a> tag

First class links can connect many nodes together

- Many sources
- Many destinations
- Many of both



# N-ary Links






# Generic (functional, dynamic) links

- Web links have explicitly specified anchors
  - Source anchor is the location in which the <a> is embedded
  - Destination anchor is given by the fragment identifier on the URI reference: http://example.org/index.html#foo
- Richer location specifiers (locspecs) in endpoints
  - Put a link on all occurrences of the word 'hypertext'




### Generic Links





### **Functional Links**





# Typed links

Web links may contain some additional information

- <a href="" rel="" rev="">
  - rel: the role of the relation from the source to the destination
  - rev: the role of the relation from the destination to the source (the reverse relation)
- In practice, most Web authors don't use rel/rev
- In practice, most Web browsers ignore rel/rev

Links are more than just navigation - underlying associative relationship



# Nodes, Links and Anchors

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla consequat tortor eget turpis scelerisque sit amet facilisis metus iaculis. Duis aliquam lacinia dictum.

#### **Amet:**

Morbi commodo bibendum ligula, et lobortis diam varius non. Morbi ac elit leo, ac semper nunc.





# Summary

Hypertext is more than just the Web!

The Web has a fairly impoverished approach to links:

- No first class links
- No bidirectional links
- No n-ary links
- No generic links
- No functional links
- Link types are present, but rarely used



# Next Lecture: Architecture of the World Wide Web